

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

APPLICANT: R.S.K. INDUSTRIAL (HK) LIMITED
FLAT 1012, 10/F, INTERNATIONAL TRADE CENTRE,
11 - 19 SHA TSUI ROAD, TSUEN WAN, HONG KONG

DATE: 17 MAR, 2011

SAMPLE DESCRIPTION : MOBILE STRAP WITH PVC CHARM
STYLE / ITEM NUMBER : PROMOTION ITEMS
COUNTRY OF ORIGIN : CHINA
COUNTRY OF DESTINATION : FRANCE
SUPPLIER / MANUFACTURER : R.S.K. INDUSTRIAL (HK) LIMITED
BUYER : COMPLEMENT D'OBJET DIRECT
SAMPLE RECEIVING DATE(S) : 9 MAR, 2011
TESTING PERIOD : 9 MAR, 2011 TO 17 MAR, 2011

EXECUTIVE SUMMARY

TESTS REQUESTED BY THE APPLICANT

RESULT*

Substances of Very High Concern (SVHC) Candidate List Proposed by
European Chemical Agency (ECHA),
With reference to Corrigendum to Regulation (EC) No. 1907/2006 and its
amendments, concerning the Registration, Evaluation, Authorisation and Restriction
of Chemicals (REACH)


See results in the
next pages

* The issuance of this report was solely based on the samples submitted by the applicant. And, testing on white coating is
excluded as per client request.

----- FOR DETAILS, PLEASE REFER TO THE ATTACHED PAGE(S) -----

SIGNED FOR AND ON BEHALF OF:

PROFESSIONAL TESTING & CONSULTING LTD.



VINCENT CHAU

TECHNICAL MANAGER,

SECTION OF CHEMICAL TESTING, DIVISION OF CONSUMER PRODUCTS

PAGE 1 OF 9

Professional Testing & Consulting Ltd.

United Kingdom • Australia • New Zealand • Spain • Poland • Belgium • Hong Kong • China • Taiwan • Korea • Singapore • India • Malaysia •
Philippines • Thailand • Indonesia • Vietnam • Cambodia • South Africa • Nigeria
Websites: www.professional-laboratory.com www.professional-laboratory.co.uk

Hong Kong Office: 3/F., Speedy Industrial Building, 114 How Ming Street, Kwun Tong, Kowloon, Hong Kong
Telephone: +852 3590 6238 Facsimile: +852 2120 8776

Attention is drawn to the terms and conditions printed overleaf.

08-TR-01

TEST REPORT

RESULTS :

Test Summary:

According to the specified scope and analytical techniques, concentrations of all 46 SVHC are <0.1% (w/w) in the submitted sample.

46 SVHC Screening

Test Method:

1. IPC-Screening: Test portion was digested with acid and assisted with microwave, the elements were analysed by ICP-OES.
2. GC-MS Screening: Test portion was extracted with organic solvent, the extraction solution was analysed by GC-MS.

<u>Chemical Substances</u>	<u>CAS No.</u>	A	B	C	D	E
Anthracene	120-12-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
4, 4' - Diaminodiphenylmethane	101-77-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Dibutyl phthalate (DBP)	84-74-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt dichloride **	7646-79-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Diarsenic pentaoxide **	1303-28-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Diarsenic trioxide **	1327-53-3	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Sodium dichromate, dehydrate **	7789-12-0	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
5-Tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Bis (2-ethyl(hexyl)phthalate) (DEHP)	117-81-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Hexabromocyclododecane (HBCDD) / 1,3,5,7,9,11-HBCDD	25637-99-4 / 3194-55-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Short Chain Chlorinated Paraffins (C10-C13)	85535-84-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Bis(tributyltin)oxide **	56-35-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead hydrogen arsenate **	7784-40-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Triethyl arsenate **	15606-95-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Benzyl butyl phthalate (BBP)	85-68-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%

PAGE 2 OF 9

Professional Testing & Consulting Ltd.

United Kingdom • Australia • New Zealand • Spain • Poland • Belgium • Hong Kong • China • Taiwan • Korea • Singapore • India • Malaysia •
 Philippines • Thailand • Indonesia • Vietnam • Cambodia • South Africa • Nigeria
 Websites: www.professional-laboratory.com www.professional-laboratory.co.uk

Hong Kong Office: 3/F., Speedy Industrial Building, 114 How Ming Street, Kwun Tong, Kowloon, Hong Kong
 Telephone: +852 3590 6238 Facsimile: +852 2120 8776

Attention is drawn to the terms and conditions printed overleaf.

08-TR-01

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

Diisobutyl phthalate	84-69-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
2,4-Dinitrotoluene	121-14-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Tris(2-chloroethyl)phosphate	115-96-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil	90640-80-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste, distn. Lights	91995-17-4	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil , anthracene-low	90640-82-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste	90640-81-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Coal tar pitch, high temperature	65996-93-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Aluminosilicate, Refractory Ceramic Fibres **	650-017-00-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Zirconia Aluminosilicate, Refractory Ceramic Fibres **	650-017-00-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead sulfochromate yellow (C.I. Pigment Yellow 34) **	1344-37-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead chromate molybdate sulphate red (C.I. Pigment Red 104) **	12656-85-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead chromate **	7758-97-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Acrylamide	79-06-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Trichloroethylene	79-01-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Boric acid**	10043-35-3/ 11113-50-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Disodium tetraborate, anhydrous**	1330-43-4/ 12179-04-3/ 1303-96-4	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Tetraboron disodium heptaoxide, hydrate**	12267-73-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Sodium chromate**	7775-11-3	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Potassium chromate**	7789-00-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Ammonium dichromate**	7789-09-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Potassium dichromate**	7778-50-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) sulphate**	10124-43-3	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) dinitrate**	10141-05-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) carbonate**	513-79-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) diacetate**	71-48-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%

PAGE 3 OF 9

Professional Testing & Consulting Ltd.

United Kingdom • Australia • New Zealand • Spain • Poland • Belgium • Hong Kong • China • Taiwan • Korea • Singapore • India • Malaysia •
Philippines • Thailand • Indonesia • Vietnam • Cambodia • South Africa • Nigeria
Websites: www.professional-laboratory.com www.professional-laboratory.co.uk

Hong Kong Office: 3/F., Speedy Industrial Building, 114 How Ming Street, Kwun Tong, Kowloon, Hong Kong
Telephone: +852 3590 6238 Facsimile: +852 2120 8776

Attention is drawn to the terms and conditions printed overleaf.

08-TR-01

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

2-Methoxyethanol	109-86-4	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
2-Ethoxyethanol	110-80-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Chromium trioxide**	1333-82-0	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Acids generated from chromium trioxide and their oligomers:						
Chromic acid**	7738-94-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Dichromic acid**	13530-68-2					
Oligomers of chromic acid and dichromic acid**						

<u>Chemical Substances</u>	<u>CAS No.</u>	F	G	H	I	J
Anthracene	120-12-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
4, 4' - Diaminodiphenylmethane	101-77-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Dibutyl phthalate (DBP)	84-74-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt dichloride **	7646-79-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Diarsenic pentaoxide **	1303-28-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Diarsenic trioxide **	1327-53-3	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Sodium dichromate, dehydrate **	7789-12-0	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
5-Tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Bis (2-ethyl(hexyl)phthalate) (DEHP)	117-81-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Hexabromocyclododecane (HBCDD) / 1,3,5,7,9,11-HBCDD	25637-99-4 / 3194-55-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Short Chain Chlorinated Paraffins (C10-C13)	85535-84-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Bis(tributyltin)oxide **	56-35-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead hydrogen arsenate **	7784-40-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Triethyl arsenate **	15606-95-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Benzyl butyl phthalate (BBP)	85-68-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%

PAGE 4 OF 9

Professional Testing & Consulting Ltd.

United Kingdom • Australia • New Zealand • Spain • Poland • Belgium • Hong Kong • China • Taiwan • Korea • Singapore • India • Malaysia •
Philippines • Thailand • Indonesia • Vietnam • Cambodia • South Africa • Nigeria
Websites: www.professional-laboratory.com www.professional-laboratory.co.uk

Hong Kong Office: 3/F., Speedy Industrial Building, 114 How Ming Street, Kwun Tong, Kowloon, Hong Kong
Telephone: +852 3590 6238 Facsimile: +852 2120 8776

Attention is drawn to the terms and conditions printed overleaf.

08-TR-01

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

Diisobutyl phthalate	84-69-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
2,4-Dinitrotoluene	121-14-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Tris(2-chloroethyl)phosphate	115-96-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil	90640-80-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste, distn. Lights	91995-17-4	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil , anthracene-low	90640-82-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste	90640-81-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Coal tar pitch, high temperature	65996-93-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Aluminosilicate, Refractory Ceramic Fibres **	650-017-00-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Zirconia Aluminosilicate, Refractory Ceramic Fibres **	650-017-00-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead sulfochromate yellow (C.I. Pigment Yellow 34) **	1344-37-2	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead chromate molybdate sulphate red (C.I. Pigment Red 104) **	12656-85-8	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Lead chromate **	7758-97-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Acrylamide	79-06-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Trichloroethylene	79-01-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Boric acid**	10043-35-3/ 11113-50-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Disodium tetraborate, anhydrous**	1330-43-4/ 12179-04-3/ 1303-96-4	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Tetraboron disodium heptaoxide, hydrate**	12267-73-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Sodium chromate**	7775-11-3	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Potassium chromate**	7789-00-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Ammonium dichromate**	7789-09-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Potassium dichromate**	7778-50-9	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) sulphate**	10124-43-3	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) dinitrate**	10141-05-6	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) carbonate**	513-79-1	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) diacetate**	71-48-7	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

2-Methoxyethanol	109-86-4	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
2-Ethoxyethanol	110-80-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Chromium trioxide**	1333-82-0	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Acids generated from chromium trioxide and their oligomers:						
Chromic acid**	7738-94-5	< 0.1%	< 0.1%	< 0.1%	< 0.1%	< 0.1%
Dichromic acid**	13530-68-2					
Oligomers of chromic acid and dichromic acid**						

<u>Chemical Substances</u>	<u>CAS No.</u>	K	L	M
Anthracene	120-12-7	< 0.1%	< 0.1%	< 0.1%
4, 4' - Diaminodiphenylmethane	101-77-9	< 0.1%	< 0.1%	< 0.1%
Dibutyl phthalate (DBP)	84-74-2	< 0.1%	< 0.1%	< 0.1%
Cobalt dichloride **	7646-79-9	< 0.1%	< 0.1%	< 0.1%
Diarsenic pentaoxide **	1303-28-2	< 0.1%	< 0.1%	< 0.1%
Diarsenic trioxide **	1327-53-3	< 0.1%	< 0.1%	< 0.1%
Sodium dichromate, dehydrate **	7789-12-0	< 0.1%	< 0.1%	< 0.1%
5-Tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	< 0.1%	< 0.1%	< 0.1%
Bis (2-ethyl(hexyl)phthalate) (DEHP)	117-81-7	< 0.1%	< 0.1%	< 0.1%
Hexabromocyclododecane (HBCDD) / 1,3,5,7,9,11-HBCDD	25637-99-4 / 3194-55-6	< 0.1%	< 0.1%	< 0.1%
Short Chain Chlorinated Paraffins (C10-C13)	85535-84-8	< 0.1%	< 0.1%	< 0.1%
Bis(tributyltin)oxide **	56-35-9	< 0.1%	< 0.1%	< 0.1%
Lead hydrogen arsenate **	7784-40-9	< 0.1%	< 0.1%	< 0.1%
Triethyl arsenate **	15606-95-8	< 0.1%	< 0.1%	< 0.1%
Benzyl butyl phthalate (BBP)	85-68-7	< 0.1%	< 0.1%	< 0.1%

PAGE 6 OF 9

Professional Testing & Consulting Ltd.

United Kingdom • Australia • New Zealand • Spain • Poland • Belgium • Hong Kong • China • Taiwan • Korea • Singapore • India • Malaysia •
Philippines • Thailand • Indonesia • Vietnam • Cambodia • South Africa • Nigeria
Websites: www.professional-laboratory.com www.professional-laboratory.co.uk

Hong Kong Office: 3/F., Speedy Industrial Building, 114 How Ming Street, Kwun Tong, Kowloon, Hong Kong
Telephone: +852 3590 6238 Facsimile: +852 2120 8776

Attention is drawn to the terms and conditions printed overleaf.

08-TR-01

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

Diisobutyl phthalate	84-69-5	< 0.1%	< 0.1%	< 0.1%
2,4-Dinitrotoluene	121-14-2	< 0.1%	< 0.1%	< 0.1%
Tris(2-chloroethyl)phosphate	115-96-8	< 0.1%	< 0.1%	< 0.1%
Anthracene oil	90640-80-5	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste, distn. Lights	91995-17-4	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	< 0.1%	< 0.1%	< 0.1%
Anthracene oil , anthracene-low	90640-82-7	< 0.1%	< 0.1%	< 0.1%
Anthracene oil, anthracene paste	90640-81-6	< 0.1%	< 0.1%	< 0.1%
Coal tar pitch, high temperature	65996-93-2	< 0.1%	< 0.1%	< 0.1%
Aluminosilicate, Refractory Ceramic Fibres **	650-017-00-8	< 0.1%	< 0.1%	< 0.1%
Zirconia Aluminosilicate, Refractory Ceramic Fibres **	650-017-00-8	< 0.1%	< 0.1%	< 0.1%
Lead sulfochromate yellow (C.I. Pigment Yellow 34) **	1344-37-2	< 0.1%	< 0.1%	< 0.1%
Lead chromate molybdate sulphate red (C.I. Pigment Red 104) **	12656-85-8	< 0.1%	< 0.1%	< 0.1%
Lead chromate **	7758-97-6	< 0.1%	< 0.1%	< 0.1%
Acrylamide	79-06-1	< 0.1%	< 0.1%	< 0.1%
Trichloroethylene	79-01-6	< 0.1%	< 0.1%	< 0.1%
Boric acid**	10043-35-3/ 11113-50-1	< 0.1%	< 0.1%	< 0.1%
Disodium tetraborate, anhydrous**	1330-43-4/ 12179-04-3/ 1303-96-4	< 0.1%	< 0.1%	< 0.1%
Tetraboron disodium heptaoxide, hydrate**	12267-73-1	< 0.1%	< 0.1%	< 0.1%
Sodium chromate**	7775-11-3	< 0.1%	< 0.1%	< 0.1%
Potassium chromate**	7789-00-6	< 0.1%	< 0.1%	< 0.1%
Ammonium dichromate**	7789-09-5	< 0.1%	< 0.1%	< 0.1%
Potassium dichromate**	7778-50-9	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) sulphate**	10124-43-3	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) dinitrate**	10141-05-6	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) carbonate**	513-79-1	< 0.1%	< 0.1%	< 0.1%
Cobalt(II) diacetate**	71-48-7	< 0.1%	< 0.1%	< 0.1%

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

2-Methoxyethanol	109-86-4	< 0.1%	< 0.1%	< 0.1%
2-Ethoxyethanol	110-80-5	< 0.1%	< 0.1%	< 0.1%
Chromium trioxide**	1333-82-0	< 0.1%	< 0.1%	< 0.1%
Acids generated from chromium trioxide and their oligomers:				
Chromic acid**	7738-94-5	< 0.1%	< 0.1%	< 0.1%
Dichromic acid**	13530-68-2			
Oligomers of chromic acid and dichromic acid**				

- | | |
|---------------------------------|----------------------------|
| A. White Soft Plastic | H. Orange Soft Plastic |
| B. Red Soft Plastic | I. Orange String |
| C. Silvery Metal Ring | J. Light Blue Soft Plastic |
| D. Silvery Metal cylinder | K. Light Blue String |
| E. Red String | L. Pink Soft Plastic |
| F. Yellowish Green Soft Plastic | M. Pink String |
| G. Yellowish green String | |

- **The substance is calculated by using the test results of element (Ex. Tin, Arsenic, Lead, Cobalt or Cr (VI), Molybdenum, Aluminum, Silicon, Zirconium, Boron respectively) (with report limits of 0.1%). If the sample contains total Cobalt, it needs further test the Chlorine content to make sure whether it includes Cobalt dichloride or not.

- The SVHC concentration is based on the assessment of the result and the characteristic of material.

TECHNICAL REPORT: TR1013-001769(A)

DIVISION OF CONSUMER PRODUCTS
SECTION OF CHEMICAL TESTING
TECHNICAL COMMITTEE 035-964-1

TEST REPORT

PHOTOGRAPH APPENDIX

Photograph of the submitted sample said to be MOBILE STRAP WITH PVC CHARM:



End of Report